

## An Industry Leading Cookie and Food Forming Machine!

The Formatic is a wire-release cookie machine capable of processing doughs with large inclusions. The entry-level R1200 can achieve speeds of up to 1,200 revolutions per hour. Their unique drum system also facilitates the production of cookies with a variety of different shapes, as well as varying thicknesses.



#### **Features**

#### ✓ Versatility

This cookie machine is also used to form granola bars, protein bars, scones, biscuits, dog treats, and other baking/confectionery products.

#### ✓ Simple & Easy Operation

This machine is easy to use and clean!

#### ✓ Accurate Portion Control

Consistent results (weight and size) with each deposit. Weight can also be modified via thickness adjustments.

#### ✓ Adjustable Thickness

Deposit thickness ranges from as thin as your product will allow – 0.75 inches (19 mm).

#### √ High Volume Production

Models capable of reaching high volume production

#### ✓ Interchangeable Drums

Deposit a wide variety of cookie types and shapes with an assortment of drum options.

#### ✓ Manual & Automatic Operation

Choose between manual, foot pedal-based operation or continuous, automatic depositing.

## **Available Options**

#### + Automatic Wire Cleaning

Attachment designed to automatically scrape the wire-release mechanism after each deposit.

#### + Automatic Papering

Attachment designed to automatically place product onto paper with each deposit.

#### + Additional

#### **Drums**

Purchase additional drums that can be interchanged for a diverse product lineup.





#### Various Hopper Sizes

Larger hoppers are available for large-scale production.

#### + Extended Conveyors

Longer conveyor belts are available upon request.

#### + Deep Drop Drum

Achieve deposits with thickness ranging between 0.25 inches (7 mm) – 1.25 inches (32 mm).



## **Custom Drum Shapes**

We can produce custom drums using a wide variety of different shapes within a  $4" \times 4"$  (101 x 101 mm) area. This includes the ability to fit multiple shapes on a single drum.



## **Technical Specifications**

	R1200	R2200	R3000
Electrical Specifications	110 v   1ph   60 Hz	220v   3 ph   60 Hz	
Machine	0.75 kW	1.1 kW	1.5 kW
Hopper Capacity	25 lb.   11.5 kg		45 lb.   20.5 kg
Output (Revolutions/Hour)	1,200	2,200	3,000
Production Rate	1,200 - 2,400/hour	2,200 - 4,400/hour	3,000 - 6,000/hour
Warranty	1 year parts   90 days labor		
Certifications	BEAG & UL		
Standard Dimensions (A x B x C)			
Standard Dimensions	42 x 35 x 36"   1062 x 889 x 915 mm	42 x 36 x 36"   1062 x 915 x 915 mm	45 x 36 x 42"   1143 x 915 x 1062 mm
Net Weight	241 lb.   109 kg	254 lb.   115 kg	267 lb.   121 kg
Shipping Dimensions (L x W x H)			
Shipping Dimensions	36 x 29 x 44"	36 x 29 x 46"   915 x 737 x 1169 mm	
Shipping Weight	265 lb.   120 kg	278 lb.   126 kg	291 lb.   132 kg

### **Accessories**

Formatic table for easier storage and portability






## **Approvals**













## **Technical Drawings**

R1200 & R2200










<u>ወ</u>	Notes:
╞	
ט	
<u>ත</u>	
2	
<u>e</u>	
ŏ	
Ŏ	
ر م	
SE	
დ (	
<u> </u>	·
ř	
Wire-Release Cookie Machine	
⋛┃	
≯	
S	
ב <u>ّ</u>	
δ V	
ij	
<u>.</u>	
בַ	
Formatic K-Series	
ב	
ρ	
-	

# ACCESS OUR PRODUCT PAGE & VIDEO



Specifications are subject to change without notice, as we remain committed to delivering the best equipment possible. Technical specifications and warranty information will be provided in your quote.